

10/694,679

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	IS&R	L1	1877	((347/20) or (347/56) or (347/61)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/08/22 05:50
2	IS&R	L2	1633	((347/63) or (347/64) or (347/65)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/08/22 05:50
3	IS&R	L3	2029	((347/67) or (347/44) or (347/47)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/08/22 05:50
4	BRS	L4	53387	flow with feature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/08/22 05:50
5	BRS	L5	522	4 and "347"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/08/22 06:04
6	BRS	L6	6305	(nozzle or orifice) with (barrier or (thick adj3 film))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/08/22 06:06

7	BRS	L7	118	6 with height	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/08/22 06:06
---	-----	----	-----	---------------	--	---------------------

	Type	L #	Hits	Search Text	DBs	Time Stamp
8	BRS	L8	48	7 and "347"/\$.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/08/22 06:08
9	BRS	L9	13	6 with (flow adj3 feature)	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/08/22 06:08